

Refer to your local stockist, details on back page

FUGA-PAVE ABC is a complete installation system, formulated for landscape professionals. The installation system is suitable for porcelain, natural stone and cementitious products for all your external installations. The products are also suitable for heavily trafficked areas.

FUGA-PAVE ABC is very simple to use. Just mix Part A (hybrid mortar cement) with suitable clean sand and water. Part B (slurry primer) and Part C (hybrid grout) are each mixed with clean water.

NO OTHER ADDITIVES ARE REQUIRED

PARTA - HYBRID CEMENT

FUGA-PAVE hybrid mortar cement mix has been specially formulated to be mixed with clean grit sand to provide a solution for laying all types of paving slabs to both hardcore and solid bases.

The combination of fibres and specially formulated additives give superior bond strength over traditional cement: sand mortar mixes (60% stronger), as well as improving the overall performance, workability and freeze/thaw resistance of the fully mixed mortar.

- Easy to mix simply mix with sand and water, three 14L buckets of sand to one part hybrid cement. The hybrid cement has everything in it to achieve a solid mortar bed and bond.
- Good coverage each 12.5kg bag ought to cover 2m² at the minimum 25mm depth.
- Economic almost 20% cheaper than traditional sand+cement+additives however FUGA-PAVE's excellent qualities deliver a greater performance.
- Easy to apply it trowels very well with a smooth, creamy feel, easing the installation of the flags.
- No sagging or slumping holds the flags well.
- Does not ooze preventing issues of the mortar migrating onto the surface of the flag, making grout applications so much easier.
- **Permeable** particularly important for installations of stone and cementitious products, allowing quicker curing and less chance of moisture migration.

Better properties than traditional sand and cement installations and it's cheaper! Why wouldn't you?

PART B - SLURRY PRIMER

FUGA-PAVE primer is a superior cement-based primer formulated to work with PART A. It contains fibre reinforcement and specially designed polymer additives to promote bond strength and enable fixing of porcelain and other low absorption types of paving to both hardcore and solid bases.

- Suitable for internal and external domestic areas and heavy trafficked installations.
- Creates a very strong monolithic bond between the flags and the mortar base.
- Suitable for use in temperatures between 3°C and 25°C.
- Easy to use simply mix with water.
- Easy to apply brush, pour or trowel on, applying wet on wet.
- Covers a large area a 20kg bag can cover up to 28m².

PART C - FLEX CH GROUT

The addition of our Flex CH Grout (PART C) makes up the complete **FUGA-PAVE** ABC external fixing system.

- Convenient 20kg bags.
- Grout joints from 2mm to 20mm wide.
- External and internal use.
- Revolutionary hybrid cement formula.
- Environmentally friendly.
- Easy to apply and wash off the surface of the flag.
- Zero efflorescence.
- Long-lasting, easy to clean and maintain.
- Naturally anti-bacterial allowing easy cleaning.
- UV colour fast.
- Cement hybrid formula which gives product longevity and durability.
- Range of five popular colours; light grey, medium grey, anthracite, limestone and jasmin. Pick up a sample card from your local supplier.





So, our **FUGA-PAVE** ABC system is as simple as ABC and has the added benefit of being guaranteed*



RECENT TESTIMONIALS

"For us it's a no brainer. Less mess, less mixing "Very impressed. So much "It's a well thought out and less for us to carry on stronger than sand and product, produced by guys the truck. A brilliant new cement in such a short with a vast knowledge and product and the best new time. Simple and cost huge respect within the product we have ever industry. The workability of effective and the pull off bought". tests were unbelievable". the product is first class". Cut Above Landscapes Signature Landscapes Greenways

FUGA-PAVE ABC products are manufactured exclusively for Tilers Tools, a division of Aquacut Limited. For technical assistance, call our team on 01565 344860, or email us on sales@tilerstools.co.uk.

> *If there is a failure of our products, we will supply replacement products free of charge. Terms and conditions apply. See our website; www.tilerstools.co.uk for details.

